

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/549,002	04/14/2000	Paul C. Hassler	7330*1	7996	
	7590 03/29/2004	EXAMINER			
CONNOLLY BOVE LODGE & HUTZ, LLP P O BOX 2207			MAYO,	MAYO, TARA L	
WILMINGTON, DE 19899			ART UNIT	PAPER NUMBER	
			3671		

DATE MAILED: 03/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/549,002	HASSLER, PAUL C.			
		Examiner	Art Unit			
		Tara L. Mayo	3671			
The Period for Re	e MAILING DATE of this communication app ply	ears on the cover sheet with the c	orrespondence address			
THE MAIL - Extensions of after SIX (6) - If the period - If NO period - Failure to re Any reply re	ENED STATUTORY PERIOD FOR REPLY ING DATE OF THIS COMMUNICATION. of time may be available under the provisions of 37 CFR 1.13 MONTHS from the mailing date of this communication. for reply specified above is less than thirty (30) days, a reply for reply is specified above, the maximum statutory period w ply within the set or extended period for reply will, by statute, ceived by the Office later than three months after the mailing in term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONE	ely filed s will be considered timely. the mailing date of this communication. 0 (35 U.S.C. & 133).			
Status						
1)⊠ Resp	1) Responsive to communication(s) filed on 03 March 2004.					
2a)∐ This	This action is FINAL . 2b)⊠ This action is non-final.					
3)∐ Sinc	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
close	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition o	f Claims					
4a) C 5)∭ Clair 6)∭ Clair 7)∭ Clair	m(s) <u>1 and 3-7</u> is/are pending in the applicant the above claim(s) is/are withdrawn(s) is/are allowed. m(s) <u>1 and 3-7</u> is/are rejected. m(s) <u>1 and 3-7</u> is/are objected to. m(s) is/are subject to restriction and/or	n from consideration.				
Application P	apers					
9)∐ The s	specification is objected to by the Examiner					
10)⊠ The drawing(s) filed on <u>14 April 2000</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under	35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) X Notice of Re 2) Notice of Dr 3) Information	eferences Cited (PTO-892) aftsperson's Patent Drawing Review (PTO-948) Disclosure Statement(s) (PTO-1449 or PTO/SB/08) //Mail Date	4) Interview Summary (Paper No(s)/Mail Dal 5) Notice of Informal Pa 6) Other:	re			

Art Unit: 3671

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1 and 3 through 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shaftner (U.S. Patent No. 5,308,188) in view of Grosh (U.S. Patent No. 3,974,599), Wiedrich (U.S. Patent No. 5,956,905), and Boeger (U.S. Patent No. 5,630,675)

Shaftner '188 discloses a system for protecting a roadway structure form damage having a resilient, replaceable collar having a body with upper and lower surfaces (10, Figure 1). An opening is provided through the center and sized to accommodate the outer periphery of the roadway structure (12, Figure 1). The sidewalls of the collar are sloped and extend downward from the upper surface of the body to the lower surface of the body (11, Figure 1). The upper surface of the body is in substantially planar alignment with the upper surface of the roadway structure (Figures 2 and 3).

At least one resilient riser is provided between the lower surface of the collar body and an upper surface of the roadway pavement. The resilient riser has a thickness such that the collar body and resilient riser together have a height substantially equal to the distance the

Art Unit: 3671

roadway structure extends above the roadway pavement (col. 3, lines 42-44 and 50-53). The lower surface of the collar body is planar (Figure 2).

Regarding claims 2 and 10, the riser/collar is made from an elastomeric material (col. 2, lines 1-3 and col. 3, lines 54-57).

Regarding claim 3, the specific roadway structures it surrounds are utility access holes, such as manhole covers, gas and water utility covers, storm sewer inlets, etc. (col. 1, lines 9-11).

Regarding claims 4 and 5, the roadway pavement is tripped such that the collar is used for placement around an access hole that is temporarily elevated (col. 1, lines 9-18).

Regarding claim 6, the collar is circular with a central circular opening to snugly engage the access hole.

Regarding claim 7, the collar can also be designed to be rectangular in shape with a circular central opening (Figure 4). The collar body has a height equal to the distance the roadway structure extends above the roadway pavement (Figures 2 and 3). The collars can be stacked one on top of the other to provide for a riser effect such that together they have a height equal to the distance the roadway structure extends above the roadway pavement (col. 1, lines 50-52; col. 3, lines 39-44).

Shaftner '188 discloses the claimed device except for the upper surface of the collar body being substantially planar. Grosh '599 discloses that it is known in the art to provide an upper surface of a ramp member leading to a roadway structure to be substantially planar. It

Art Unit: 3671

would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the ramp of Shaftner '188 with the planar upper surface of Grosh '599, in order to allow for a flush fit, and therefore, a smooth transition along the top of a grating or cover.

Regarding the limitation of the upper surface of the riser being planar, Shaftner '188 discloses the claimed device except for the use of risers having planar upper surfaces (14, Figure 1) in order to provide a stable/easily stackable base with which to raise the height of the collar body to a desired level. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the riser of Shaftner '188 with the planar upper surface of Wiedrich '905 to provide a stable/easily stackable base with which to raise the collar body to a desired level and to make height adjustments.

Shaftner '188 discloses the claimed invention except for the collar and the riser being made of cured, recycled rubber scrap tires. Boeger '675 expressly teaches the use of cured, recycled rubber scrap tires for the manufacture of a resilient road base (col. 6, lines 21 through 24). It would have been obvious for one having ordinary skill in the art at the time the invention was made to make the collar and riser of scrap tires as taught by Boeger '675 to efficiently provide a resilient product.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tara L. Mayo whose telephone number is 703-305-3019. The examiner can normally be reached on Monday through Friday 8:30 AM to 5:00 PM.

Art Unit: 3671

Page 5

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas B. Will can be reached on 703-308-3870. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (tollfree).

22 March 2004

ÁS B. WILL

SUPERVISORY PATENT EXAMINER

GROUP 3600